

P91 5kVA–10kVA Series UPS Price List

*For the most current pricing, visit www.xpcc.com/pricing

Online Unity Power Factor 5kVA–10kVA

208/230VAC or 240/120VAC

More Power in Less Space with Lead Acid Batteries

- › Multiple communications capability
- › Up to 94% online or 99% ECO mode efficiency
- › P91 optional battery packs are easy to replace without interrupting the load
- › \$50,000 load protection policy
- › UL 1778, cUL, FCC, RoHS, CE, TAA compliant (UPS only)
- › 3 years electronics, 3 years battery warranty (USA and Canada)



P91 208/230VAC Bundle Pricing

Bundles include 4-post rail kits. 6kVA system capacity will be reduced by 30A input circuit.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Total Weight	Rack Space
P91-5KB	Bundle	5kVA/5kW UPS Bundle with 2U Battery Pack	\$5,094.00	Terminal block	Terminal block	163 lbs	4U
P91-5KB1	Bundle	5kVA/5kW UPS Bundle with 2U Battery Pack and Plug/Receptacle XBDM-P91A	\$6,055.00	L6-30P, 6ft	(2) L6-20R + (2) L6-30R	173 lbs	4U
P91-5KB2	Bundle	5kVA/5kW UPS Bundle with 3U Battery Pack	\$5,556.00	Terminal block	Terminal block	203 lbs	5U
P91-5KB3	Bundle	5kVA/5kW UPS Bundle with 3U Battery Pack and Plug/Receptacle XBDM-P91A	\$6,517.00	L6-30P, 6ft	(2) L6-20R + (2) L6-30R	113 lbs	5U
P91-6KB	Bundle	6kVA/6kW UPS Bundle with 2U Battery Pack	\$5,523.00	Terminal block	Terminal block	164 lbs	4U
P91-6KB1	Bundle	6kVA/6kW UPS Bundle with 2U Battery Pack and Plug/Receptacle XBDM-P91A	\$6,484.00	L6-30P, 6ft	(2) L6-20R + (2) L6-30R	174 lbs	4U
P91-6KB2	Bundle	6kVA/6kW UPS Bundle with 3U Battery Pack	\$5,985.00	Terminal block	Terminal block	204 lbs	5U
P91-6KB3	Bundle	6kVA/6kW UPS Bundle with 3U Battery Pack and Plug/Receptacle XBDM-P91A	\$6,946.00	L6-30P, 6ft	(2) L6-20R + (2) L6-30R	214 lbs	5U
P91-10KB	Bundle	10kVA/10kW UPS Bundle with 3U Battery Pack	\$7,173.00	Terminal block	Terminal block	210 lbs	5U
P91-10KB1	Bundle	10kVA/10kW UPS Bundle with 3U Battery Pack and Plug/Receptacle XBDM-P91B	\$8,134.00	Terminal block	Terminal block + (1) L6-30R + (2) L6-20R	218 lbs	5U
P91-10KB2	Bundle	10kVA/10kW UPS Bundle with 2U Battery Pack	\$6,711.00	Terminal block	Terminal block	170 lbs	4U
P91-10KB3	Bundle	10kVA/10kW UPS Bundle with 2U Battery Pack and Plug/Receptacle XBDM-P91B	\$7,672.00	Terminal block	Terminal block + (1) L6-30R + (2) L6-20R	178 lbs	4U

P91 240/120V Bundle Pricing

Bundles include isolation transformer and 4-post rail kits. 6kVA system capacity will be reduced by 30A input circuit.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Total Weight	Rack Space
P91-5KTB	Bundle	5kVA/5kW UPS Bundle with 2U Battery Pack and Plug/Receptacle XBDM-P91A and XPD-IT60A transformer	\$8,129.00	Terminal block + L6-30P, 6ft	(2) L6-20R + (2) L6-30R + (12) 5-15/20R	315.1 lbs	6U
P91-5KTB2	Bundle	5kVA/5kW UPS Bundle with 2U Battery Pack and Plug/Receptacle XBDM-P91C and XPD-IT6KW transformer	\$8,587.00	Terminal block + L6-30P, 6ft	Terminal Block, (1) L6-30R, (2) L14-30, (8) 5-15/20R	315.1 lbs	7U
P91-5KTB3	Bundle	5kVA/5kW UPS Bundle with 3U Battery Pack and Plug/Receptacle XBDM-P91A and XPD-IT60A transformer	\$8,591.00	Terminal block + L6-30P, 6ft	(2) L6-20R + (2) L6-30R + (12) 5-15/20R	355.1 lbs	7U
P91-5KTB4	Bundle	5kVA/5kW UPS Bundle with 3U Battery Pack and Plug/Receptacle XBDM-P91C and XPD-IT6KW transformer	\$9,049.00	Terminal block + L6-30P, 6ft	Terminal Block, (1) L6-30R, (2) L14-30, (8) 5-15/20R	355.1 lbs	8U
P91-6KTB	Bundle	6kVA/6kW UPS Bundle with 2U Battery Pack and Plug/Receptacle XBDM-P91A and XPD-IT60A transformer	\$8,558.00	Terminal block + L6-30P, 6ft	(2) L6-20R + (2) L6-30R + (12) 5-15/20R	316 lbs	6U
P91-6KTB2	Bundle	6kVA/6kW UPS Bundle with 2U Battery Pack and Plug/Receptacle XBDM-P91C and XPD-IT6kW transformer	\$9,016.00	Terminal block + L6-30P, 6ft	Terminal Block, (1) L6-30R, (2) L14-30, (8) 5-15/20R	316 lbs	7U
P91-6KTB3	Bundle	6kVA/6kW UPS Bundle with 3U Battery Pack and Plug/Receptacle XBDM-P91A and XPD-IT60A transformer	\$9,020.00	Terminal block + L6-30P, 6ft	(2) L6-20R + (2) L6-30R + (12) 5-15/20R	356 lbs	7U
P91-6KTB4	Bundle	6kVA/6kW UPS Bundle with 3U Battery Pack and Plug/Receptacle XBDM-P91C and XPD-IT6kW transformer	\$9,478.00	Terminal block + L6-30P, 6ft	Terminal Block, (1) L6-30R, (2) L14-30, (8) 5-15/20R	356 lbs	8U
P91-10KTB	Bundle	10kVA/10kW UPS Bundle with 3U Battery Pack and Plug/Receptacle XBDM-P91B and XPD-IT60A transformer	\$10,208.00	Terminal block	(2) L6-20R + (1) L6-30R + (12) 5-15/20R	359.7 lbs	7U
P91-10KTB1	Bundle	10kVA/10kW UPS Bundle with 2U Battery Pack and Plug/Receptacle XBDM-P91B and XPD-IT60A transformer	\$9,746.00	Terminal block	(2) L6-20R + (1) L6-30R + (12) 5-15/20R	319.7 lbs	6U
P91-10KTB2	Bundle	10kVA/10kW UPS Bundle with 3U Battery Pack and Plug/Receptacle XBDM-P91C and XPD-IT10kW transformer	\$11,161.00	Terminal block	Terminal Block, (1) L6-30R, (2) L14-30, (8) 5-15/20R	359.7 lbs	8U

P91 Series UPS 208/230V50/60Hz

P91 Series UPS come with no internal batteries. 6kVA system capacity will be reduced by 30A input circuit.

Model	Part Number	Description	List Price	Input Connections	Output Connections	Weight	Unit Dimensions (W x D x H)
P91-5K	90000640	5kVA/5kW 208/230V UPS Module, 2U	\$2,541.00	Terminal block	Terminal block	33.1 lbs	17.2" x 23.6" x 3.5"
P91-6K	90000641	6kVA/6kW 208/230V UPS Module, 2U	\$2,970.00	Terminal block	Terminal block	34 lbs	17.2" x 23.6" x 3.5"
P91-10K	90000642	10kVA/10kW 208/230V UPS Module, 2U	\$4,158.00	Terminal block	Terminal block	39.7 lbs	17.2" x 23.6" x 3.5"

P91 Battery Packs

Battery packs include DC Breaker, and cable with connector

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
BPXR2U240A	90000643	(20) 12V 5AH Lead Acid Battery Pack, 2U	\$2,255.00	120 lbs	17.2" x 30" x 3.5"
BPXR3U240A	90000644	(20) 12V 580W Lead Acid Battery Pack, 3U	\$2,717.00	160 lbs	17.2" x 30" x 5.2"

Bypass Distribution Modules

Mating Anderson cable kit included for connection to the UPS input and output

Model	Part Number	Description	List Price	Input Connections	Output Connections	Weight	Unit Dimensions (W x D x H)
XBDM-P91A	90000645	Plug and Receptacle Distribution Module	\$803.00	6' Line Cord with L6-30P (5kVA, 6kVA)	(2) L6-30R short cords, each protected by a breaker + (2) C19 flush mounted, each protected by a 20A breaker	8 lbs	14.6" x 5" x 3.5"
XBDM-P91A10	90001233	Plug and Receptacle Distribution Module	\$870.00	10' Line Cord with L6-30P (5kVA, 6kVA)	(2) L6-30R short cords, each protected by a breaker + (2) C19 flush mounted, each protected by a 20A breaker	10 lbs	14.6" x 5" x 3.5"
XBDM-P91B	90000646	Receptacle Bypass Distribution Module	\$803.00	Terminal block	Terminal block + (1) L6-30R short cord, protected by a breaker + (2) C19 flush mounted, each protected by a breaker	6 lbs	14.6" x 5" x 3.5"
XBDM-P91C	90000737	Receptacle Bypass Distribution Module	\$803.00	Terminal block	Terminal block + (1) L6-30R short cord, protected by a breaker	5 lbs	14.6" x 5" x 3.5"
XBDM-P91D	90000738	Receptacle Bypass Distribution Module	\$803.00	Terminal block	(2) L6-30R short cords, each protected by a breaker	6 lbs	14.6" x 5" x 3.5"

P91 Cords Options

For use with Xtreme Bypass Distribution Modules (XBDM) with C19 output. 6kVA system capacity will be reduced by 30A input circuit.

Model	Description	Cord Length	Input Voltage	List Price	Unit Weight
XPC-ZLC20-620R	Locking IEC C20 to 6-15/20R	1ft	208/230V	\$79.00	3 lbs
XPC-ZLC20-L620R	Locking IEC C20 to L6-20R	1ft	208/230V	\$79.00	3 lbs
XPC-ZLC20-L630R	Locking IEC C20 to L6-30R	1ft	208/230V	\$79.00	3 lbs
XPC-C20-L615R	Non-locking IEC C20 to L6-15R	1ft	208/230V	\$59.00	3 lbs
XPC-L630R	L6-30R Factory Terminated to Output TB	6ft	208/230V	\$125.00	5 lbs
XPC-L630P	L6-30P Factory Terminated to Input TB	6ft	208/230V	\$125.00	5 lbs

P91 Isolation Transformers

Model	Part Number	Description	List Price	Weight	Unit Dimensions (W x D x H)
XPD-IT60A	90000407	6kVA PDU with Isolation Transformer 208V to 120V (or 240V to 120V), 3ft L6-30P Input Cord, (1) L6-30R and (12) 5-15/20R receptacles	\$1,925.00	137 lbs	17.3" x 18.0" x 3.5"
XPD-IT6KW	90000781	6kVA 3U PDU with Isolation Transformer 208V to 240/120V (or 240V to 240/120V), Input terminal block, Output terminal block + (2) L14-30R and (8) 5-15/20R receptacles	\$2,541.00	199 lbs	17.3" x 32.8" x 4.7"
XPD-IT10KW	90000740	10kVA 3U PDU with Isolation Transformer 208V to 240/120V (or 240V to 240/120V), Input terminal block, Output terminal block + (2) L14-30R and (8) 5-15/20R receptacles	\$3,036.00	209 lbs	17.3" x 32.8" x 4.7"

P91 Mounting Kits

Model	Part Number	Description	List Price	Weight	Unit Dimensions (W x D x H)
P90L-RAIL	90000933	4-Post Rail Kit	\$149.00	5 lbs	3.8" x 19.8" x 2.8"
XPC-2POSTL	90000116	2-Post Shelf Kit; Rated for 150 lbs	\$160.00	9 lbs	21.5" x 23.3" x 3.5"
XPC-2PRLV2	90001273	2-Post 2U Center Mount with Front Ears; Rated for 160 lbs	\$225.00	11 lbs	16" x 15" x 9"
XPC-2POST	90003042	Heavy Duty 2-Post Shelf Kit; Rated for 300 lbs	\$270.00	14 lbs	19.0" x 29.0" x 5.2"

P91 Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2PV3	90000741	Two Port Internal SNMP Card	\$389.00	1 lb	7.25" x 6" x 2.5"
SNMP-EMPV2	90000674	Environmental Monitoring Sensor*	\$230.00	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Modbus Card	\$319.00	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	General Relay Contacts with DB9 & Terminal Block Adapter	\$120.00	1 lb	7.25" x 6" x 2.5"

*SNMP-EMPV2 to be used with SNMP-2PV3

Power Distribution Units

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Weight	Unit Dimensions (W x D x H)
XPD24C13V	90000374	30A 208V Basic PDU	\$380.00	L6-30P, 6ft	(24) IEC C13	12.0 lbs	66.0" x 1.75" x 1.75"
XPD31	90000251	30A 240V 2U 19" Basic Rack PDU	\$580.00	L6-30P, 6ft	(2) L6-30R + (2) L6-20R + (4) 6-15/20R	9.0 lbs	19.0" x 4.7" x 3.5"
XPD32	90000252	30A 240V 2U 19" Basic Rack PDU	\$580.00	L6-30P, 6ft	(2) L6-30R + (4) L6-20R	7.5 lbs	19.0" x 2.4" x 3.5"
XPD33	90000253	30A 240V 2U 19" Basic Rack PDU	\$450.00	L6-30P, 6ft	(4) IEC C19 + (8) IEC C14	6.0 lbs	19.0" x 2.4" x 3.5"
XPD35	90000255	50A 240V 2U 19" Basic Rack PDU	\$580.00	Pigtail 2W+G	(2) L6-30R + (4) L6-20R	7.0 lbs	19.0" x 2.4" x 3.5"
XPD36	90000256	50A 240V 2U 19" Basic Rack PDU	\$460.00	Pigtail 2W+G	(4) IEC C19 + (8) IEC C13	6.8 lbs	19.0" x 2.4" x 3.5"

P91 Startup/Service Plans (USA and Canada)

On-site service within 100 miles of an Xtreme Power Service Technician. Contact inside sales for locations exceeding 100 miles.

Model	Part Number	Description	List Price
9SUS8051	90001282	Startup 5x8 and 1 year on-site warranty	\$3,900.00
9SUS8052	90001283	Startup 5x8 and 2 year on-site warranty	\$4,500.00
9SUS8053	90001284	Startup 5x8 and 3 year on-site warranty	\$5,100.00
9SU724051	90001285	Startup 7x24 and 1 year on-site warranty	\$5,070.00
9SU724052	90001286	Startup 7x24 and 2 year on-site warranty	\$5,850.00
9SU724053	90001287	Startup 7x24 and 3 year on-site warranty	\$6,630.00
P9SP610	90000350	Extended 5 Year Factory Warranty for P91-5K, P91-6K, P91-10K	\$1,500.00
9PM58	90001288	Preventative maintenance service, 5x8	\$3,500.00
9PM724	90001289	Preventative maintenance service, 7x24	\$4,550.00
SVCADD	90000538	Service addder for locations further than 100 miles	\$1,050.00
P9OS3BP	90000355	On-site 3 year service plan for BPXR2U240A and BPXR3U240A	\$480.00
P9OS5BP	90000356	On-site 5 year service plan for BPXR2U240A and BPXR3U240A	\$1,140.00
P9OLSPPBP2	90000946	Extended 5 year factory warranty for BPXR2U240A and BPXR3U240A	\$700.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

P91 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

		Qty	1kW	2kW	3kW	4kW	5kW	6kW	7kW	8kW	9kW	10kW
Model Number	BPXR2U240A	1 BP	53	27	15	11	7	5	4	4	3	2
Dimensions	17.2 x 27.4 x 3.5 in (2U)	2 BP	117	61	38	27	20	15	13	11	9	7
Battery Quantity/Type	(20) 12V 5AH Lead Acid	3 BP	171	100	62	43	33	27	22	18	15	13
Model Number	BPXR3U240A	1 BP	92	46	29	20	15	12	10	8	7	6
Dimensions	17.2 x 27.4 x 5.2 in (3U)	2 BP	182	106	66	47	36	29	24	20	18	15
Battery Quantity/Type	(20) 12V 580W Lead Acid	3 BP	287	151	107	76	58	47	39	33	29	25
		4 BP	395	208	134	107	83	66	55	47	41	36
		5 BP	507	267	172	128	107	87	72	61	53	47
		6 BP	621	327	211	153	124	107	90	76	66	58
		7 BP	738	388	250	182	142	122	107	92	80	70
		8 BP	857	451	291	211	164	134	120	107	94	83